

Installation de forgejo sur rocky-linux en mode binaire

Installation des pré-requis

Installation des packages manquants

```
dnf install -y git git-lfs wget
```

Installation de mariadb-server

Installer le package mariadb-server

```
dnf install -y mariadb-server
```

Activer et démarrer le service mariadb

```
systemctl enable mariadb  
systemctl start mariadb
```

Créer la base de données forgejo et l'utilisateur associé

```
create database forgejo CHARACTER SET = utf8mb4 COLLATE utf8mb4_unicode_ci;  
grant all privileges on forgejo.* TO 'forgejo'@'127.0.0.1' identified by 'PASSWORD';  
flush privileges;
```

Installation de forgejo

Création du groupe et du user associé au futur service

```
groupadd --system git  
adduser --system --shell /bin/bash --comment 'Git Version Control' --gid git --home-dir  
/home/git --create-home git
```

Création des dossiers qui seront utilisés par le service

- Création du dossier /var/lib/forgejo qui contiendra les données

```
mkdir /var/lib/forgejo  
chown git:git /var/lib/forgejo && chmod 750 /var/lib/forgejo
```

- Création du dossier /etc/forgejo qui contiendra le fichier de configuration app.ini

```
mkdir /etc/forgejo  
chown root:git /etc/forgejo && chmod 770 /etc/forgejo
```

Recuperation du binaire forgejo

```
cd /usr/local/bin  
wget https://codeberg.org/forgejo/forgejo/releases/download/v7.0.4/forgejo-7.0.4-linux-amd64  
chmod 755 /usr/local/bin/forgejo-7.0.4-linux-amd64  
ln -s forgejo-7.0.4-linux-amd64 forgejo
```

Installation du service

```
wget -O /etc/systemd/system/forgejo.service  
https://codeberg.org/forgejo/forgejo/raw/branch/forgejo/contrib/systemd/forgejo.service
```

Ouverture firewall du port tcp/3000 sur firewalld

```
firewall-cmd --permanent --add-port=3000/tcp  
firewall-cmd --reload
```

Démarrage du service forgejo

```
systemctl enable forgejo.service  
systemctl start forgejo.service
```

Revision #7

Created 21 June 2024 15:51:10 by NoNo

Updated 21 June 2024 16:32:27 by NoNo